

μ-í>š ; " ÃÄÜÛëD4•, [úçË]°iðæ À \$\$! U IROJH GLHVHV 3URMHNWV %HULFKW]X

ersucht GLH +DX ið QHQ LQ :LHQ GXUFK GLH 1DFKZXFKVNUI

XQG 'ROPHWVFKGLHQVWHQ GHU 9HUHLQWHQ 1DWLRQHQLDXVJHELOGHW ZHU

JXQJ HQHQ 'LHQVWHQ JHIJUGHUW ZLUG ZIKUHQG GHU 3KRO TXDOLIL]LHUWH

i#BOP@AÉ^S 4ZVSFWNS

VGHO/OHLFC HLVWHQ GHU
FOWLHV SIQD FKRHFQ •EHUVHW]W

SHV 6LFKHUKHLWVUDWV I•U 'RNXPHQWDWLRQ XQG DQGHUH 9H

YRP \$SULO YRP -XQL YRP YRP \$SULO \$SU
\$SULO YRP YRP -XQL HJHPEHU YRP ' YRP \$SULO \$SU
YRP 6HSWHPEHU YRP YR'HJHPEDHJ YRP YRP
ODL YRP 'HJHPEHU 'HJHPEHU \$EVFKQLWVW\$KQWVW -X
;;, YRP 'HJHPEHU YRP \$SULO YRP 'HJHPE 'HJHPE
\$SULO YRP 'HJHPEHU YRP 'HJHPEHU XQ
VRZLH LKUH DQGHUHQ HLQVFKOIJLJHQ 5HVROXWLRQH XQG %HVI
nach BehandlungGHU GHU *HQHUDOYHUVDPPOXQJ YRUJHOHJWHQ HLQVF
NH WIUWGDZHUVRQDOPDQD JHPHQW 3EHU@ P@HQ3G€Q GH' *HQHUDO
IUUV

IXQJ GHV %HUCHEKOWHGHMWHUV •EHU GLHQORQD]XLUW9WHEHXQBU(PSJHG
3ROLWLN DXI LKHU QHXQXEGVHFK]LJVWHQ 7DJXQJ PLW ,QW