Liberté • Égalité • Fraternité
RÉPUBLIQUE FRANÇAISE

Table of Contents

1 Introduction 1

2 The continental shelf 1
2.1 Antilles 2
2.2 Kerguelen 3

3 Specific provisions invoked to support this partial submission 4
3.1 Antilles 4
3.2 Kerguelen 4

4 Absence of disputes 4
4.1 Antilles 4
4.2 Kerguelen 4

5 Description of the outer limits of the continental shelf 5
5.1 Antilles 5
5.2 Kerguelen 6

6 State bodies responsible for the preparation of this partial continental shelf submission 8

Appendix 1: Outer limit of the continental shelf in the area of the French Antilles 9
Appendix 2: Outer limit of the continental shelf in the area of the Kerguelen Islands 11

1 Introduction

This submission to the Commission on the Limits of the Continental Shelf is made by the Government of the French Republic pursuant to Article 76, paragraph 8, and article 4 of Annex II of the United Nations Convention on the Law of the Sea, in support of the establishment of the outer limits of the continental shelf beyond the 200 nautical miles from the baselines from which the breadth of the territorial sea is measured, in the areas of the overseas Departments of the French Antilles, Guadeloupe and Martinique (hereafter "Antilles"), and of the District of Kerguelen (hereafter "Kerguelen"). This submission is a partial submission, as was the submission presented jointly with Spain, Ireland and the United Kingdom of Great Britain and Northern Ireland on the 19th of May 2006, for the region of the Celtic Sea and the Bay of Biscay on the one hand, and the submission presented on the 22nd of May 2007, for the regions offshore French Guiana and New Caledonia, on the other hand.

2 The continental shelf

The present submission deals only with the outer limit of the continental shelf in the areas of the Antilles and Kerguelen. In accordance with paragraph 3 of Annex I of the Rules and Procedures, submissions for other parts of the French continental shelf will be made at a later stage, without prejudging the resolution of pending questions related to the determination of limits in those parts of the continental shelf claimed by France and any other State.

2.1 Antilles

The extension of the continental shelf beyond 200 miles from the baselines of the French Antilles is located at the base of the margin of the Caribbean subduction zone (Figure 1). The continental shelf is adjacent to that of Barbados to the south.

Figure 1: The continental shelf in the area of the French Antilles, indicated by the yellow shaded area comprised between the 200 mile limit and the outer limit of the continental shelf.

(Projection: Mercator, 10°N; Satellite and multibeam bathymetry)

2.2 Kerguelen

The extension of the continental shelf in the region of Kerguelen is situated on the plateau and its margins (Figure 2). The extension is limited to the south-east by the area under Australian jurisdiction.



Figure 2: The continental shelf in the area of the Kerguelen Islands, indicated by the yellow shaded area comprised between the 200 mile limit and the outer limit of the continental shelf.

(Projection: Mercator, 45°S; Satellite and multibeam bathymetry)

3 Specific provisions invoked to support this partial submission

3.1 Antilles

The outer limit is based on the provisions of Articles 76.1, 76.4 (a)(i), 76.4 (a)(ii) and 76.4 (b) of the United Nations Convention on the Law of the Sea.

3.2 Kerguelen

The outer limit is based on the provisions of Articles 76.1, 76.4 (a)(i), 76.4 (a)(ii), 76.4 (b) and 76.5 of the United Nations Convention on the Law of the Sea and on the Agreement for Maritime Delimitation between France and Australia of January 4th, 1982 (United Nations Publications, Volume 1329, page 107).

4 Absence of disputes

4.1 Antilles

In accordance with paragraph 2(a) of Annex I to the Rules of Procedures of the CLCS, France wishes to inform the Commission of the possibility that its continental shelf in the area of the Antilles overlaps with the continental shelf of Barbados, but that, by mutual agreement, this hypothesis should not prevent the Commission from examining the submissions of both States.

4.2

5 Description of the outer limits of the continental shelf

5.1 Antilles

France has used the lines determined by the 1% sediment thickness formula (the Gardiner or Irish Formula) for the area offshore the French Antilles. On the seismic data provided, sufficient sediment thickness has been demonstrated to allow the application of this formula of 1% sediment thickness with respect to the shortest distance to the foot of the slope. Accordingly, 7 fixed points have been established, which, combined with an 8th fixed point located on the 200 mile limit as measured from the French baselines, and a 9th point determined by the Hedberg Formula constitute the outer limit of the continental shelf offshore the French Antilles (Figure 3 and Table 1). The distance between consecutive fixed points does not exceed 60 nautical miles. The fixed points do not exceed 350 nautical miles from the baselines from which the breadth of the territorial sea of Martinique and Guadeloupe is measured.



Figure 3: Detailed map of the outer limit of the continental shelf in the area of the French Antilles.

(Projection: Mercator, 10°N; Multibeam bathymetry)

The French Continental Shelf

6 State bodies responsible for the preparation of this partial continental shelf submission

EXTRAPLAC is a national multi-year program dedicated to the continental shelf extension, funded by the French Government. This submission, as well as all maps, figures, appendices and data bases were prepared by a consortium coordinated by the General Secretariat for the Sea (SGMer) and constituted of the French Research Institute for the Exploitation of the Sea (Ifremer), the Hydrographic and Oceanographic Service of the Navy (SHOM), the French Petroleum Institute (IFP), and the French Polar Institute Paul-Emile Victor (IPEV).

Appendix 1: Outer limit of the continental shelf in the area of the French Antilles

Table 1: List of coordinates defining the outer limit of the continental shelf in the area of the French Antilles.

All coordinates relate to the WGS 84 geodetic reference system

FP	Latitude North	Longitude

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance (m)	Distance (Miles)
048	52.1824093	59.8042576	Fixed Point at 60 miles from the foot of the slope, 76 (4)	047	048	1852	1.000
049	52.1846691	59.7774316	Fixed Point at 60 miles from the foot of the slope, 76 (4)	048	049	1852	1.000
050	52.1866472	59.7505451	Fixed Point at 60 miles from the foot of the slope, 76 (4)	049	050	1852	1.000
051	52.1883436	59.7236091	Fixed Point at 60 miles from the foot of the slope, 76 (4)	050	051	1852	1.000
052	52.1897612	59.6966304	Fixed Point at 60 miles from the foot of the slope, 76 (4)	051	052	1852	1.000
053	52.1908916	59.6696136	Fixed Point at 60 miles from the foot of the slope, 76 (4)	052	053	1852	1.000
054	52.1917432	59.6425653	Fixed Point at 60 miles from the foot of the slope, 76 (4)	053	054	1852	1.000
055	52.1923077	59.6155013	Fixed Point at 60 miles from the foot of the slope, 76 (4)	054	055	1852	1.000
056	52.1925893	59.5884216	Fixed Point at 60 miles from the foot of the slope, 76 (4)	055	056	1852	1.000
057	52.1925893	59.5670911	Fixed Point at 60 miles from the foot of the slope, 76 (4)	056	057	1459	0.788
058	52.1836241	59.5620673	Fixed Point at 350 miles from the baselines, 76 (5)	057	058	1611	0.870
059	52.1678993	59.5533446	Fixed Point at 350 miles from the baselines, 76 (5)	058	059	1848	0.998
060	52.1521579	59.5446939	Fixed Point at 350 miles from the baselines, 76 (5)	059	060	1848	0.998
061	52.1363998	59.5361262	Fixed Point at 350 miles from the baselines, 76 (5)	060	061	1848	0.998
062	52.1206278	59.5276371	Fixed Point at 350 miles from the baselines, 76 (5)	061	062	1848	0.998
063	52.1048391	59.5192221	Fixed Point at 350 miles from the baselines, 76 (5)	062	063	1848	0.998
064	52.0890366	59.5108880	Fixed Point at 350 miles from the baselines, 76 (5)	063	064	1848	0.998
065	52.0732173	59.5026347	Fixed Point at 350 miles from the baselines, 76 (5)	064	1848	0.998	

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance (m)	Distance (Miles)
074	51.9301944	59.4318969	Fixed Point at 350 miles from the baselines, 76 (5)	073	074	1848	0.998
075	51.9142311	59.4244341	Fixed Point at 350 miles from the baselines, 76 (5)	074	075	1848	0.998
076	51.8982551	59.4170455	Fixed Point at 350 miles from the baselines, 76 (5)	075	076	1848	0.998
077	51.8822679	59.4097355	Fixed Point at 350 miles from the baselines, 76 (5)	076	077	1848	0.998
078	51.8662652	59.4025085	Fixed Point at 350 miles from the baselines, 76 (5)	077	078	1848	0.998
079	51.8502484	59.3953534	Fixed Point at 350 miles from the baselines, 76 (5)	078	079	1848	0.998
080	51.8342218	59.3882792	Fixed Point at 350 miles from the baselines, 76 (5)	079	080	1848	0.998
081	51.8181768	59.3812858	Fixed Point at 350 miles from the baselines, 76 (5)	080	081	1848	0.998
082	51.8021248	59.3743733	Fixed Point at 350 miles from the baselines, 76 (5)	081	082	1848	0.998
083	51.7860572	59.3675349	Fixed Point at 350 miles from the baselines, 76 (5)	082	083	1848	0.998
084	51.7699811	59.3607750	Fixed Point at 350 miles from the baselines, 76 (5)	083	084	1848	0.998
085	51.7538881	59.3540961	Fixed Point at 350 miles from the baselines, 76 (5)	084	085	1848	0.998
086	51.7377838	59.3474934	Fixed Point at 350 miles from the baselines, 76 (5)	085	086	1848	0.998
087	51.7216681	59.3409694	Fixed Point at 350 miles from the baselines, 76 (5)	086	087	1848	0.998
088	51.7055410	59.3345240	Fixed Point at 350 miles from the baselines, 76 (5)	087	088	1848	0.998
089	51.6894026	59.3281550	Fixed Point at 350 miles from the baselines, 76 (5)	088	089	1848	0.998
090	51.6732528	59.3218668	Fixed Point at 350 miles from the baselines, 76 (5)	089	090	1848	0.998
091	51.6570902	59.3156571	Fixed Point at 350 miles from the baselines, 76 (5)	090	091	1848	0.998
092	51.6409177	59.3095284	Fixed Point at 350 miles from the baselines, 76 (5)	091	092	1848	0.998
093	51.6247309	59.3034737	Fixed Point at 350 miles from the baselines, 76 (5)	092	093	1848	0.998
094	51.6085398	59.2974932	Fixed Point at 350 miles from the baselines, 76 (5)	093	094	1848	0.998
095	51.5923303	59.2916003	Fixed Point at 350 miles from the baselines, 76 (5)	094	095	1848	0.998
096	51.5761163	59.2857814	Fixed Point at 350 miles from the baselines, 76 (5)	095	096	1848	0.998
097	51.5598867	59.2800412	Fixed Point at 350 miles from the baselines, 76 (5)	096	097	1848	0.998
098	51.5436499	59.2743751	Fixed Point at 350 miles from the baselines, 76 (5)	097	098	1848	0.998
099	51.5274017	59.2687898	Fixed Point at 350 miles from the baselines, 76 (5)	098	099	1848	0.998

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance
						(r(r(r(r(r(rnce

FP	Latitude South	Longitude Longitude

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance (m)	Distance (Miles)
152	47.3878904	59.7393700	Fixed Point at 60 miles from the foot of the slope, 76 (4)	151	152	1852	1.000
153	47.3728684	59.7499656	Fixed Point at 60 miles from the foot of the slope, 76 (4)	152	153	1852	1.000
154	47.3579626	59.7609116	Fixed Point at 60 miles from the foot of the slope, 76 (4) 47.35050.0021 Tw 6.761 0.569 Td[Fixed Point at 60 miles				

[redacted]				Article 76	from PF	to PF	Distance (m)	Distance (Miles)	
x	178	47.0464312	60.1222881	Fixed 84.0008 Tc -0.0032 Tw 6[illegible]m the foot of the slope, 76 (4)	177	178	1852	178	47.0444	769.

The French Continental Shelf

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance (m)	Distance (Miles)
256	45.0151705	62.4683867	Fixed Point at 60 miles from the foot of the slope, 76 (4)	255	256	1852	1.000
257	45.0104648	62.4909165	Fixed Point at 60 miles from the foot of the slope, 76 (4)	256	257	1852	1.000
258	45.0060151	62.5135585	Fixed Point at 60 miles from the foot of the slope, 76 (4)	257	258	1852	1.000
259	45.0018345	62.5362949	Fixed Point at 60 miles from the foot of the slope, 76 (4)	258	259	1852	1.000
260	44.9979164	62.5591233	Fixed Point at 60 miles from the foot of the slope, 76 (4)	259	260	1852	1.000
261	44.9942641	62.5820371	Fixed Point at 60 miles from the foot of the slope, 76 (4)	260	261	1852	1.000
262	44.9908794	62.6050317	Fixed Point at 60 miles from the foot of the slope, 76 (4)	261	262	1852	1.000
263	44.9877638	62.6281004	Fixed Point at 60 miles from the foot of the slope, 76 (4)	262	263	1852	1.000
264	44.9849126	62.6512365	Fixed Point at 60 miles from the foot of the slope, 76 (4)	263	264	1852	1.000
265	44.9823353	62.6744355	Fixed Point at 60 miles from the foot of the slope, 76 (4)	264	265	1852	1.000
266	44.9800242	62.6976884	Fixed Point at 60 miles from the foot of the slope, 76 (4)	265	266	1852	1.000
267	44.9779855	62.7209930	Fixed Point at 60 miles from the foot of the slope, 76 (4)	266	267	1852	1.000
268	44.9762178	62.7443MC	P MCID 108 733MCID 100 DC 8.634 0 Td .0021 Tw 6.761 0.569 Td [Fix				

The French Continental Shelf

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance (m)	Distance

The French Continental Shelf

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance (m)	Distance (Miles)

The French Continental Shelf

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance (m)

The French Continental Shelf

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance (m)	Distance (Miles)
360	43.5226314	66.6321701					

The French Continental Shelf

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance (m)	Distance (Miles)

The French Continental Shelf

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance (m)	Distance (Miles)

The French Continental Shelf

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance (m)	Distance (Miles)
464	42.8499177	68.5182347	Fixed Point at 60 miles from the foot of the				

The French Continental Shelf

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance (m)	Distance (Miles)
490	43.1011446	68.9935580	Fixed Point at 60 miles from the foot of the slope, 76 (4)	489	490	1852	

The French Continental Shelf

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance (m)	Distance (Miles)
568	44.2255771	71.4581983	Fixed Point at 60 miles from the foot of the slope, 76 (4)	567	568	1852	1.000
569	44.2340450	71.4781589	Fixed Point at 60 miles from the foot of the slope, 76 (4)	568	569	1852	1.000
570	44.2427458	71.4979353	Fixed Point at 60 miles from the foot of the slope, 76 (4)	569	570	1852	1.000
571	44.2516761	71.5175073	Fixed Point at 60 miles from the foot of the slope, 76 (4)	570	571	1852	1.000
572	44.2608407	71.5368750	Fixed Point at 60 miles from the foot of the slope, 76 (4)	571	572	1852	1.000
573	44.2702298	71.5560406	Fixed Point at 60 miles from the foot of the slope, 76 (4)	572	573	1852	1.000
574	44.2798481	71.5749816	Fixed Point at 60 miles from the foot of the slope, 76 (4)	573	574	1852	1.000
575	44.2896825	71.5937137	Fixed Point at 60 miles from the foot of the slope, 76 (4)	574	575	1852	1.000
576	44.2997427	71.6122100	Fixed Point at 60 miles from the foot of the slope, 76 (4)	575	576	1852	1.000
577	44.3100173	71.6304840	Fixed Point at 60 miles from the foot of the slope, 76 (4)	576	577	1852	1.000
578	44.3205077	71.6485244	Fixed Point at 60 miles from the foot of the slope, 76 (4)	577	578	1852	1.000
579	44.3312090	71.6663245	Fixed Point at 60 miles from the foot of the slope, 76 (4)	578	579	1852	1.000
580	44.3421163	71.6838753	Fixed Point at 60 miles from the foot of the slope, 76 (4)	579	580	1852	1.000
581	44.3532293	71.7011791	Fixed Point at 60 miles from the foot of the slope, 76 (4)	580	581	1852	1.000
582	44.3645497	71.7182314	Fixed Point at 60 miles from the foot of the slope, 76 (4)	581	582	1852	1.000
583	44.3760676	71.7350232	Fixed Point at 60 miles from the foot of the slope, 76 (4)	582	583	1852	1.000
584	44.3877813	71.7515544	Fixed Point at 60 miles from the foot of the slope, 76 (4)	583	584	1852	1.000
585	44.3996891	71.7678162	Fixed Point at 60 miles from the foot of the slope, 76 (4)	584	585	1852	1.000
586	44.4117892	71.7838039	Fixed Point at 60 miles from the foot of the slope, 76 (4)	585	586	1852	1.000
587	44.4240751	71.7995155	Fixed Point at 60 miles from the foot of the slope, 76 (4)	586	587	1852	1.000
588	44.4365419	71.8149485	Fixed Point at 60 miles from the foot of the slope, 76 (4)	587	588	1852	1.000
589	44.4491910	71.8300896	Fixed Point at 60 miles from the foot of the slope, 76 (4)	588	589	1852	1.000
590	44.4620190	71.8449478	Fixed Point at 60 miles from the foot of the slope, 76 (4)	589	590	1852	1.000
591	44.4750211	71.8595094	Fixed Point at 60 miles from the foot of the slope, 76 (4)	590	591	1852	1.000
592	44.4881923	71.8737747	Fixed Point at 60 miles from the foot of the slope, 76 (4)	591	592	1852	1.000
593	44.5015293	71.8877300	Fixed Point at 60 miles from the foot of the slope, 76 (4)	592	593	1852	1.000

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance (m)	Distance (Miles)
620	44.9388973	73.7126755	Fixed Point at 60 miles from the foot of the slope, 76 (4)	619	620	1852	1.000
621	44.9403983	73.7360407	Fixed Point at 60 miles from the foot of the slope, 76 (4)	620	621	1852	1.000
622	44.9421671	73.7593699	Fixed Point at 60 miles from the foot of the slope, 76 (4)	621	622	1852	1.000
623	44.9442119	73.7826610	Fixed Point at 60 miles from the foot of the slope, 76 (4)	622	623	1852	1.000
624	44.9465245	73.8058959	Fixed Point at 60 miles from the foot of the slope, 76 (4)	623	624	1852	1.000
625	44.9491033	73.8290814	Fixed Point at 60 miles from the foot of the slope, 76 (4)	624	625	1852	1.000
626	44.9519547	73.8521996	Fixed Point at 60 miles from the foot of the slope, 76 (4)	625	626	1852	1.000
627	44.9550739	73.8752571	Fixed Point at 60 miles from the foot of the slope, 76 (4)	626	627	1852	1.000
628	44.9584564	73.8982564	Fixed Point at 60 miles from the foot of the slope, 76 (4)	627	628	1852	1.000

/EMC P K MCID 76 733MCID 76 BDC 8.634 0 Td [7.0021 Tw 6.761 0.569 Td [(Fixe

The French Continental Shelf

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance (m)	Distance (Miles)
646	45.0638569	74.2924324	Fixed Point at 60 miles from the foot of the slope, 76 (4)	645	646	1852	1.000
647	45.0720832	74.3128893	Fixed Point at 60 miles from the foot of the slope, 76 (4)	646	647	1852	1.000
648	45.0805437	74.3331463	Fixed Point at 60 miles from the foot of the slope, 76 (4)				

The French Continental Shelf

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance (m)	Distance (Miles)
698	45.7801479	76.4634516	Fixed Point at 60 miles from the foot of the slope, 76 (4)	697	698	1852	1.000
699	45.7754446	76.4862913	Fixed Point at 60 miles from the foot of the slope, 76 (4)	698	699	1852	1.000
700	45.7710002	76.5092433	Fixed Point at 60 miles from the foot of the slope, 76 (4)	699	700	1852	1.000
701	45.7668195	76.5322873	Fixed Point at 60 miles from the foot of the slope, 76 (4)	700	701	1852	1.000
702	45.7629072	76.5554301	Fixed Point at 60 miles from the foot of the slope, 76 (4)	701	702	1852	1.000
703	45.7592572	76.5786538	Fixed Point at 60 miles from the foot of the slope, 76 (4)	702	703	1852	1.000
704	45.7558711	76.6019629	Fixed Point at 60 miles from the foot of the slope, 76 (4)	703	704	1852	1.000
705	45.7527567	76.6253393	Fixed Point at 60 miles from the foot of the slope, 76 (4)	704	705	1852	1.000
706	45.7499111	76.6487920	Fixed Point at 60 miles from the foot of the slope, 76 (4)	705	706	1852	1.000
707	45.7473341	76.6723054	Fixed Point at 60 miles from the foot of the slope, 76 (4)	706	707	1852	1.000
708	45.7450244	76.6958750	Fixed Point at 60 miles from the foot of the slope, 76 (4)	707	708	1852	1.000
709	45.7429865	76.7194939	Fixed Point at 60 miles from the foot of the slope, 76 (4)	708	709	1852	1.000
710	45.7412222	76.7431556	Fixed Point at 60 miles from the foot of the slope, 76 (4)	709	710	1852	1.000
711	45.7397252	76.7668531	Fixed Point at 60 miles from the foot of the slope, 76 (4)	710	711	1852	1.000
712	45.7385002	76.7905844	Fixed Point at 60 miles from the foot of the slope, 76 (4)	711	712	1852	1.000
713	45.7375488	76.8143381	Fixed Point at 60 miles from the foot of the slope, 76 (4)	712	713	1852	1.000
714	45.7368694	76.8381165	Fixed Point at 60 miles from the foot of the slope, 76 (4)	713	714	1852	1.000
715	45.7364637	76.8619016	Fixed Point at 60 miles from the foot of the slope, 76 (4)	714	715	1852	1.000
716	45.7363285	76.8854846	Fixed Point at 60 miles from the foot of the slope, 76 (4)	715	716	1852	1.000
717	45.7364668	76.9092743	Fixed Point at 60 miles from the foot of the slope, 76 (4)	716	717	1852	1.000
718	45.7368741	76.9330594	Fixed Point at 60 miles from the foot of the slope, 76 (4)	717	718	1852	1.000
719	45.7375582	76.9568401	Fixed Point at 60 miles from the foot of the slope, 76 (4)	718	719	1852	1.000
720	45.7385096	76.9805938	Fixed Point at 60 miles from the foot of the slope, 76 (4)	719	720	1852	1.000
721	45.7397378	77.0043228	Fixed Point at 60 miles from the foot of the slope, 76 (4)	720	721	1852	1.000
722	45.7412348	77.0280226	Fixed Point at 60 miles from the foot of the slope, 76 (4)	721	722	1852	1.000
723	45.7430038	77.0516842	Fixed Point at 60 miles from the foot of the slope, 76 (4)	722	723		

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance (m)	Distance (Miles)
724	45.7450448	77.0753032	Fixed Point at 60 miles from the foot of the slope, 76 (4)	723	724	1852	1.000
725	45.7473546	77.0988727	Fixed Point at 60 miles from the foot of the slope, 76 (4)	724	725	1852	1.000
726	45.7499331	77.1223861	Fixed Point at 60 miles from the foot of the slope, 76 (4)	725	726	1852	1.000
727	45.7527835	77.1458321	Fixed Point at 60 miles from the foot of the slope, 76 (4)	726	727	1852	1.000
728	45.7559010	77.1692153	Fixed Point at 60 miles from the foot of the slope, 76 (4)	727	728	1852	1.000
729	45.7592871	77.1925176	Fixed Point at 60 miles from the foot of the slope, 76 (4)	728	729	1852	1.000
730	45.7629371	77.2157480	Fixed Point at 60 miles from the foot of the slope, 76 (4)	729	730	1852	1.000
731	45.7668587	77.2388841	Fixed Point at 60 miles from the foot of the slope, 76 (4)	730	731	1852	1.000
732	45.7710395	77.2619282	Fixed Point at 60 miles from the foot of the slope, 76 (4)	731	732	1852	1.000
733	45.7754839	77.2848734	Fixed Point at 60 miles from the foot of the slope, 76 (4)	732	733	1852	1.000
734	45.7903531	77.3583354	Fixed Point at 60 miles from the foot of the slope, 76 (4)	733	734	5947	3.211
735	45.7950598	77.3811818	Fixed Point at 60 miles from the foot of the slope, 76 (4)	734	735	1852	1.000
736	45.8273163	77.5292196	Fixed Point at 60 miles from the foot of the slope, 76 (4)	735	736	12053	6.508
737	45.8322821	77.5519672	Fixed Point at 60 miles from the foot of the slope, 76 (4)	736	737	1852	1.000
738	45.8375127	77.5746025	Fixed Point at 60 miles from the foot of the slope, 76 (4)	737	738	1852	1.000
739	45.8430003	77.5971098	Fixed Point at 60 miles from the foot of the slope, 76 (4)	738	739	1852	1.000
740	45.8487431	77.6194868	Fixed Point at 60 miles from the foot of the slope, 76 (4)	739	740	1852	1.000
741	45.8547443	77.6417336	Fixed Point at 60 miles from the foot of the slope, 76 (4)	740	741	1852	1.000
742	45.8609990	77.6638322	Fixed Point at 60 miles from the foot of the slope, 76 (4)	741	742	1852	1.000
743	45.8675025	77.6857892	Fixed Point at 60 miles from the foot of the slope, 76 (4)	742	743	1852	1.000
744	45.8742609	77.7075914	Fixed Point at 60 miles from the foot of the slope, 76 (4)	743	744	1852	1.000
745	45.8812647	77.7292318	Fixed Point at 60 miles from the foot of the slope, 76 (4)	744	745	1852	1.000
746	45.8885170	77.7507127	Fixed Point at 60 miles from the foot of the slope, 76 (4)	745	746	1852	1.000
747	45.8960145	77.7720208	Fixed Point at 60 miles from the foot of the slope, 76 (4)	746	747	1852	1.000
748	45.9037572	77.7931491	Fixed Point at 60 miles from the foot of the slope, 76 (4)	747	748	1852	1.000
749	45.9117371	77.8141068	Fixed Point at 60 miles from the foot of the slope, 76 (4)	748	749	1852	1.000

The French Continental Shelf

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance (m)	Distance (Miles)
750	45.9199556	77.8348647	Fixed Point at 60 miles from the foot of the slope, 76 (4)	749	750	1852	1.000
751	45.9284142	77.8554361	Fixed Point at 60 miles from the foot of the slope, 76 (4)	750	751	1852	1.000
752	45.9371051	77.8758121	Fixed Point at 60 miles from the foot of the slope, 76 (4)	751	752	1852	1.000
753	45.9460264	77.8959770	Fixed Point at 60 miles from the foot of the slope, 76 (4)	752	753	1852	1.000
754	45.9551796	77.9159376	Fixed Point at 60 miles from the foot of the slope, 76 (4)	753	754	1852	1.000
755	45.9645600	77.9356826	Fixed Point at 60 miles from the foot of the slope, 76 (4)	754	755	1852	1.000
756	45.9741628	77.9552052	Fixed Point at 60 miles from the foot of the slope, 76 (4)	755	756	1852	1.000
757	45.9839924	77.9744988	Fixed Point at 60 miles from the foot of the slope, 76 (4)	756	757	1852	1.000
758	45.9940347	77.9935700	Fixed Point at 60 miles from the foot of the slope, 76 (4)	757	758	1852	1.000
759	46.0042990	78.0124010	Fixed Point at 60 miles from the foot of the slope, 76 (4)	758	759	1852	1.000
760	46.0147772	78.0309916	Fixed Point at 60 miles from the foot of the slope, 76 (4)	759	760	1852	1.000
761	46.0254679	78.0493397	Fixed Point at 60 miles from the foot of the slope, 76 (4)	760	761	1852	1.000
762	46.0363628	78.0674295	Fixed Point at 60 miles from the foot of the slope, 76 (4)	761	762	1852	1.000

The French Continental Shelf

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance (m)	Distance (Miles)
802	46.6042760	78.5359616	Fixed Point at 60 miles from the foot of the slope, 76 (4)	801	802	1852	1.000
803	46.6206621	78.5403049	Fixed Point at 60 miles from the foot of the slope, 76 (4)	802	803	1852	1.000
804	46.6370988	78.5442530	Fixed Point at 60 miles from the foot of the slope, 76 (4)				

The French Continental Shelf

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance (m)	Distance (Miles)
828	47.1233458	78.4912951	Fixed Point at 60 miles from the foot of the slope, 76 (4)	827	828	1852	

FP	Latitude South	Longitude East	Method, Article 76	from PF	to PF	Distance (m)	Distance (Miles)