OCEA-0 0 1 CT 7 6.38 1.23 Tf (The importance of the ocean) 6(h 2014 i)2.6(n s)-2(e)10.6(c)-2(ond pl)2.6(ac)8.9(e.)
ational weather agencies and researchers within the WMO community
monitor the ocean, model how it

than do the Poles, enormous horizontal and vertical ocean currents form and circulate this heat around the planet. Some of these currents carry heat for thousands of kilometres before releasing much of it back into the atmosphere.

Another key interaction is that, because the

The most prominent area of below-normal sea surface temperatures was the Southern Ocean south of 45° South (especially around the Drake Passage between South America and Antarctica, where temperatures were more than 1°C below normal in places).

Global sea levels rose about 15 millimetres between November 2014 and February 2016 as a result of El Niño, well above the post-1993 trend of 3 to 3.5 mm per year, with the early 2016 values reaching new record highs. Since February, sea levels have remained fairly stable.

Carbon dioxide flux Since the industrial revolution about 375 billion tonnes of carbon have been emitted by humans to the atmosphere as CO_2. The main sinks for CO2 emissions from fossil fuel combustion are the oceans and terrestrial biosphere. Despite the increasing emissions from fossil fuel energy, ocean and land biosphere still take up about half of the anthropogenic emissions. There is however potential that these sinks might become saturated, which will increase the fraction of emitted CO_2 that stays in the atmosphere and thus may accelerate the CO_2 atmospheric growth rate.

may well be reduced to only 20% by the end of the 21st century. The current rate of ocean acidification appears unprecedented at least over the last 300 million years based on proxy-data from paleo archives. In the future, acidification will continue to accelerate at least until mid-century based on projections from Earth system models. Acidification rates are slightly affected by climate change . Warming enhances the increase in H+ while reducing the decrease in CO_3^{2-}, but those effects amount to less than 10% of the changes due to increasing CO_2. Yet freshening, e.g., from enhanced ice melt in the Arctic, can accelerate acidification rates by much more.

Action undertaken to address the effects of climate change on the oceans and to foster climate resilient sustainable development of oceans and seas

Science, data collection and awareness raising

Observation Because the ocean is a global commons, strong international coordination is needed to ensure regular and sustained observation.

WMO hosts and co-sponsors the Global Climate Observing System (GCOS) which sets requirements for the observations of the Atmosphere, Land and Oceans required to track changes and variability in the climate system. In 2016 a new GCOS Implementation Plan was welcomed by the UNFCCC, who encouraged parties to work towards its implementation.

To deliver the ocean component, GCOS works closely with the Global Ocean Observing System (GOOS) which coordinates observations of physics, chemistry and biology required to deliver requirements for climate, services and ocean health through an integrated observing system of satellites, ships, moored and autonomous platforms. GOOS is also co-sponsored by WMO and led by the Intergovernmental Oceanographic Commission of the United Nations Educational, Scientific and Cultural Organization (IOC/UNESCO).

Technological advances in telecommunications, autonomous platforms and new sensors are revolutionizing our ability to systematically monitor the ocean and thus understand its role in weather and climate. In the past decade the International Argo Array of profiling floats has enabled us to systematically monitor the global subsurface oceans for the first time. The next revolutions will be as new technologies enable us to systematically observe the deep ocean, ice covered oceans, and new chemical and biological variables to enable us to track issues such as ocean acidification. WMO collaborates with the maritime industry to ensure continuous weather and ocean observations from Voluntary Observing Ships and ocean-based observing platforms.

With improved monitoring of the ocean and atmosphere and enhanced scientific understanding, scientists can increasingly d.002 Tz(c)-2(an i)210.5.9(-1.3(anv)8.9(-1.3

hazards such as ocean-generate storms and related storm surges, coastal flooding and high winds. Developing multi-hazard early warning systems for addressing coastal inundation is now a high priority.

Extreme weather The enormous amount of energy captured by the ocean creates the world's most powerful and destructive storms, known variously as cyclones, typhoons and hurricanes. The enormous amount of energy captured by the ocean creates the world's most powerful and destructive storms, known variously as cyclones, typhoons and hurricanes. WMO's tropical cyclone Regional Specialized Meteorological Centres and Tropical Cyclone Warning Centres facilitate international collaboration and the sharing of best practices (they also decide on the names of each year's storms to improve coordination and the clarity of warnings).

Atmosphere -ocean exchange of chemicals and marine geoengineering Through its Global Atmosphere Watch (GAW) network of observing stations, WMO is a long-term sponsor of the Joint Group of Experts on the Scientific Aspects of Marine Environmental Protection (GESAMP) Working Group on The Atmospheric Input of Chemicals to the Ocean (WG 38). WG38 studies the atmospheric-ocean exchange of chemicals and the impact on ocean biogeochemistry. In 2017, WG 38 is embarking on an investigation of the impact of ocean acidification on fluxes of non-CO_2 climate-active species. A workshop to gather the relevant international scientific experts and initiate this activity will be held in Norwich, UK from 27 Feb to 2 March, 2017. WMO/GAW is also a sponsor of a new GESAMP Working Group (WG 41) on marine geoengineering under the lead of IMO with support also from IOC/UNESCO and co-chaired by independent experts. The WG was tasked with carrying out an assessment of a wide range of marine geoengineering approaches for their potential environmental and socio/economic impacts on the marine environment (and the atmosphere where appropriate) as well as their potential scientific practicality and efficacy for climate mitigation purposes. The final peer-reviewed report, to be completed by January 2018, is intended to assist the Parties of the London Convention and London Protocol to determine which marine geoengineering activities might be listed in Annex 4 of the Protocol and consequently regulated.

Polar activities Recognizing the growing need for better weather and sea ice forecasts, more reliable climate predictions and, ultimately, better services for those who live and work in polar regions and beyond, the 68th Executive Council of WMO adopted a decision on the implementation of the Year of Polar Prediction[6]

complete a 2000km continuous mission under the sea-ice with an autonomous underwater vehicle in the Arctic or Antarctic. The start of the competition was formally announced at the Arctic Science Summit Week in March 2016. This challenge aims to promote innovation towards a cost-effective, scalable and sustainable monitoring system for the polar oceans.

Capacity -building, partnership and financing

Coastal inundation The Coastal Inundation Forecasting Demonstration Project (CIFDP) is a multi-hazard warning system that promotes an integrated approach in the enhancement and delivery of early warnings, no matter what the causes for coastal inundations are, in line with the concept of impact-based forecasting and the UN Sendai Framework for Disaster Risk Reduction (DRR). The CIFDP is currently underway in four sub-projects (Bangladesh, Dominican Republic, Fiji and Indonesia), three of which are in urban coastal settings. Substantial progress to date has been made in each of these CIFDP sub-projects since 2013 and expected completion by 2017-2018. The development of the CIFDP as a more sustainable platform for the strengthening of national multi-hazard early warning systems to address flooding in coastal areas is currently being considered.

Small islands States and terr itories Rising sea levels can damage freshwater supplies and worsen storms and coastal inundation. Better projections of how storm patterns will change, polar ice sheets melt and regional sea levels rise is vital for the improved safety of life and property at sea and for coastal zone management. WMO has launched a dedicated programme on Small Island Developing States and Member Island Territories[7] to help small, vulnerable islands to use weather, marine and climate services. This will contribute to the implementation of Sustainable Development Goal 14 – Conserve and Sustainably Use Oceans, Seas and Marine Resources for Sustainable Development.

[7] Resolution 54 (Cg-17), 2015.