


جازا ر ةاخ جة

ح تززاتا ار


ng pagakanan kembuah sabah sabah









5*46R* 90:0\$*-(;3*









ثاليا



١٤١



*>?@A?*B?*C=6DE89 F=GHEA | 9

*>?@A?*B?*C=6DE89 F=G6A6JKL9




*M?N9*OEP?*B?*C=6DE89
QRSE?89

>?JHT89>SU6P?8
V9HR7?89=


















distribution and a complete second liveral distribution with each other and in







h'6V3* 9]L'PD M':D +L %&'#()* J1:D M&F FGHI






90A-#)* k01K)* M&4) %&'#()* J 1:D M&F S0A 90@DR* 902'\\$3* 'e)'o



Q[\W17]@^&_!&4/6*% K&()*% LCM* NC160*% P('# LC; .&4 Q"#R% NC160(* S2T<C SU#< V50D# /,06W!&B1IWX% YZ>!&91"'*% `]%5'*% a&2:







$90A'6V^*B'/E@/1)$ W4tG/)* 90:01K)* $9/_*4$)* 9@:1)* 'QD'=

: b"6\\ !" ' (\\\\\\ YZ>

r 'KYR*

B'/E@/)*

CLV

0"4#\$

uV*F<

9;*VF



h'6V3*



P('# LC; Qc =1>?X%!dc1+# L1'# Qc .&(#16*% S&>eWC `f?M04 b"6W![)*% YZ> NC160*%

9 i K)* 0_'; &


y-(./)* +1/#)* **x**"V4()*

90 c c K\$ B*V&F& kD*-A

W4tGD B*V&F& kD*-A



h'6V3* '"'Z2+L^HA V-z/1) 9] { '@/)* !8*-D '#A';



=5(J@n1, W@Lgh .# i*jC =1>?X% lfl k B Qc . &1?502*% VM* m/[02*% /+I*% !'*l6# b*@ mM7W !d o 1"2*% ld o 1"2*%

!8*-/)*

| "'d SA 4/]D !8-D 9"'[-)*& 9] { '0/1) 9"FG#Q)* 90:01K)* 9, -.)* g'HI '#A';





91•; X 9"X €- i A *G1Z\\$ ₩

